MEJ PRODUCT TECHNICAL DATA SHEET

MEJ

ARTICLE: 1007M | 1007MR

DESCRIPTION: SOLID POLYETHYLENE ROLLING PINS

SOLID POLYETHYLENE ROTATING ROLLING PINS

FEATURES:

MATERIAL: EXTRUDED PEHD300

COMPOSITION: COPOLYMER OF ETHYLENE - 1 - HEXENO WITH ADDITIVES

HARDNESS: PE300 (HIGH DENSITY) = 62 SHORE D ELASTICITY POINT: PE300 (HIGH DENSITY) = 527 MPA MELTING POINT: PE300 (HIGH DENSITY) = 130/135°C

COMPLIANCE:

IN COMPLIANCE WITH THE REGULATIONS:

·REG. (CE) N.° 2023/2006 ·REG. (CE) N.° 1935/2004 ·REG. (CE) N.° 178/2002 ·REG. (CE) N.° 852/2004

INFORMATION ABOUT SPECIFIC MIGRATIONS:

WE GUARANTEE THAT MANUFACTURING OPERATIONS ARE CARRIED OUT IN COMPLIANCE WITH GMP STANDARDS AND THAT THE SUBSTANCES WE USE COMPLY WITH REGULATIONS, IN ACCORDANCE WITH OUR INTERNAL SUPPLIER QUALIFICATION PROCEDURE.

STANDARD SIZES IN CM:

(TOLERANCE +/- 0,5 CM)

1007M


CM. Ø 3X25 CM. Ø 5X46 CM. Ø 5X56

1007MR

CM. Ø 7X52 CM. Ø 7X62

FOR CUSTOMISED SIZES PLEASE CONTACT US AT THE FOLLOWING E-MAIL ADDRESS : SALES@MEJ-CEPPOFRUTTERO.COM

	sizes in cm					
ROLLING PINS CODE	Α	В	ပ	D	Е	
1007M330	30	2,5	25	ø3	ø3	
1007M546	46	8	32	ø3	ø5	
1007M556	56	8	42	ø3	ø5	
1007MR752	52	11	30	ø 4	ø7	
1007MR762	62	11	40	ø4	ø7	



FOR INSTRUCTIONS USE AND MAINTENANCE, PLEASE REFER TO THE DEDICATED PAGE AT THE FOLLOWING LINK: HTTPS://MEJ-CEPPOFRUTTERO.COM/MAINTENANCE/

NOTE: OUR COMPANY IS CONSTANTLY ENGAGED IN A PROGRAMME AIMED AT IMPROVING OUR PRODUCTS, THEREFORE WE RESERVE THE RIGHT TO CHANGE SOME SPECIFICATIONS WITHOUT PRIOR NOTICE.

MEJ PRODUCT TECHNICAL DATA SHEET



ARTICLE: 1007PEST

DESCRIPTION: SOLID POLYETHYLENE PESTLE

FEATURES:

MATERIAL: EXTRUDED PEHD300

COMPOSITION: COPOLYMER OF ETHYLENE - 1 - HEXENO WITH ADDITIVES

HARDNESS: PE300 (HIGH DENSITY) = 62 SHORE D ELASTICITY POINT: PE300 (HIGH DENSITY) = 527 MPA MELTING POINT: PE300 (HIGH DENSITY) = 130/135°C

COMPLIANCE:

IN COMPLIANCE WITH THE REGULATIONS:

·REG. (CE) N.° 2023/2006 ·REG. (CE) N.° 1935/2004 ·REG. (CE) N.° 178/2002 ·REG. (CE) N.° 852/2004

INFORMATION ABOUT SPECIFIC MIGRATIONS:

WE GUARANTEE THAT MANUFACTURING OPERATIONS ARE CARRIED OUT IN COMPLIANCE WITH GMP STANDARDS AND THAT THE SUBSTANCES WE USE COMPLY WITH REGULATIONS, IN ACCORDANCE WITH OUR INTERNAL SUPPLIER QUALIFICATION PROCEDURE.

STANDARD SIZES IN CM:

(TOLERANCE +/- 0,5 CM)


1007PEST

CM. ϕ 3,5X21,5 BAR

CM. Ø 4,5X24 CM. Ø 5X28 CM. Ø 6X28

FOR CUSTOMISED SIZES PLEASE CONTACT US AT THE FOLLOWING E-MAIL ADDRESS : SALES@MEJ-CEPPOFRUTTERO.COM

	sizes in cm						
PESTLE CODE	Α	В	С	D	Е	F	G
1007PEST3,521,5N	21,5	ø 3,5	5		4	ø 3,5	
1007PEST4,511-C	24	ø 4,5	11	2	11	ø3	6,5
1007PEST515-C	28	ø5	15	2	11	ø3	7
1007PEST615-C	28	ø6	15	2	11	ø3	8



FOR INSTRUCTIONS USE AND MAINTENANCE, PLEASE REFER TO THE DEDICATED PAGE AT THE FOLLOWING LINK: HTTPS://MEJ-CEPPOFRUTTERO.COM/MAINTENANCE/

NOTE: OUR COMPANY IS CONSTANTLY ENGAGED IN A PROGRAMME AIMED AT IMPROVING OUR PRODUCTS, THEREFORE WE RESERVE THE RIGHT TO CHANGE SOME SPECIFICATIONS WITHOUT PRIOR NOTICE.

MEJ PRODUCT TECHNICAL DATA SHEET



ARTICLE: 1007PALA

DESCRIPTION: SOLID POLYETHYLENE SPATULA

FEATURES:

MATERIAL: EXTRUDED PEHD300

COMPOSITION: COPOLYMER OF ETHYLENE - 1 - HEXENO WITH ADDITIVES

HARDNESS: 62 SHORE D ELASTICITY POINT: 527 MPA MELTING POINT: 130/135°C

COMPLIANCE:

IN COMPLIANCE WITH THE REGULATIONS:

·REG. (CE) N.° 2023/2006 ·REG. (CE) N.° 1935/2004 ·REG. (CE) N.° 178/2002 ·REG. (CE) N.° 852/2004

INFORMATION ABOUT SPECIFIC MIGRATIONS:

WE GUARANTEE THAT MANUFACTURING OPERATIONS ARE CARRIED OUT IN COMPLIANCE WITH GMP STANDARDS AND THAT THE SUBSTANCES WE USE COMPLY WITH REGULATIONS, IN ACCORDANCE WITH OUR INTERNAL SUPPLIER QUALIFICATION PROCEDURE.

STANDARD SIZES IN CM:

(TOLERANCE +/- 0.5 CM)

1007PALA

CM. 50X5X1

CM. 40X7X2 CM. 60X7X2

CM. 80X7X2

CM. OUX/XZ


CM. 80X8X2

CM. 90X8X2 CM. 100X7X2

CM. 120X7X2

FOR CUSTOMISED SIZES PLEASE CONTACT US AT THE FOLLOWING E-MAIL ADDRESS : SALES@MEJ-CEPPOFRUTTERO.COM

	sizes in cm						
SPATULA CODE	Α	В	C	D	E	F	
1007PALA402	40	13	27	3,5	2	7	
1007PALA501	50	19	31	3	1	5	
1007PALA602	60	22	38	3,5	2	7	
1007PALA802	80	22	58	3,5	2	7	
1007PALACAS80	80	18	62	3,5	2	8	
1007PALACAS90	80	18	72	3,5	2	8	
1007PALA1002	100	28	72	3,5	2	7	
1007PALA1202	100	29	91	3,5	2	7	



FOR INSTRUCTIONS USE AND MAINTENANCE, PLEASE REFER TO THE DEDICATED PAGE AT THE FOLLOWING LINK: HTTPS://MEJ-CEPPOFRUTTERO.COM/MAINTENANCE/

NOTE: OUR COMPANY IS CONSTANTLY ENGAGED IN A PROGRAMME AIMED AT IMPROVING OUR PRODUCTS, THEREFORE WE RESERVE THE RIGHT TO CHANGE SOME SPECIFICATIONS WITHOUT PRIOR NOTICE.